INSECTICIDE CUTWORM BAIT Registration No. L0022 – ACT 36 OF 1947

KONBAT Rember of the PLENNEGY GROUP

KOMBAT CUTWORMS is a granular insecticide for the control of cutworms.

 Registration Holder:

 KOMBAT (Pty) Ltd

 Reg. No. 2009/023766/07

 39 Dr Gordon Street

 Greytown, 3250

 Tel: +27 (0) 33 417 1906/7

Distributed by: Starke Ayres (Pty) Ltd Reg. No. 1984/011013/07 9th Road, Kempton Park, 1619 Tel: +27 (0) 11 748 3550 info@starkeayres.com

-	HAZARD STATEMENT	PRECAUTIONARY STATEMENT
WARNING	 Harmful if swallowed. Harmful if inhaled. 	 Do not breathe dust. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment. Wear protective gloves/ protective clothing. Call a POISON CENTER/doctor if you feel unwell. IF SWALLOWED: Immediately call a POISON CENTER/ doctor. IF ON SKIN: Wash with plenty of water. Call a POISON CENTER/ doctor if you feel unwell. IF INHALED: Remove person to fresh air and keep comfortable, for breathing. Call a POISON CENTER/ doctor. Collect spillage. Dispose of contents/container to local and national regulations.

SYMPTOMS OF POISONING

Active Ingredient:

Sodium Fluosilicate - 100 g/kg

High exposure to Sodium Fluorosilicate can cause a salty or soapy taste in the mouth, nausea, vomiting, abdominal cramps and diarrhoea, muscle weakness, tremors, loss of consciousness and convulsions.

FIRST AID TREATMENT

General information: When in doubt or if symptoms are observed, get medical advice. Call a POISON CENTER/doctor if you feel unwell.

Following inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor.

Following skin contact: : IF ON SKIN: Wash with plenty of water. Call a POISON CENTER/doctor if you feel unwell.

Following eye contact: In case of eye irritation consult an ophthalmologist.

Rinse immediately carefully and thoroughly with eye-bath or water.

Following ingestion: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Seek medical attention. IF SWALLOWED: Immediately call a POISON CENTER/doctor.

RELEVANT SUBSTANCE		CONCENTRATION (%)			
SODIUM FLUOSILICATE					
CAS N°	16893-85-9	C≤ 10 %			

NOTE TO PHYSICIAN

Treat symptomatically.

PLEASE READ THE LABEL BEFORE USE						
DIRECTIONS FOR USE	CROP / PEST	DOSAGE	REMARKS			
Use only as indicated. KOMBAT CUTWORM BAIT is an attractive stable bait which will not disintegrate under normal moisture conditions.	All field crops CUTWORMS	Broadcast 10 kg/ha	KOMBAT Cutworm Bait must be applied either at planting or shortly afterwards but before the crop has emerged if a cutworm infestation is suspected.			
Please note: Toxic to fish and wildlife. Store away from food and feed.		Row application 5 kg/ha	Use granular application on the planter and apply KOMBAT Cutworm Bait directly on top of the seeded row.			
	Small area use CUTWORMS	Broadcast lightly at about 10 g/m	Scatter KOMBAT Cutworm Bait evenly over infested area either at planting or when damage is observed.			

DISCLAIMER

Although this remedy has been intensively tested under a large variety of conditions the registration holder does not warrant that it will be efficacious under all conditions because the action and effect thereof may be affected by factors such as abnormal climatic and storage conditions; quality of dilution water; compatibility with other substances not indicated on the label and the occurrence of resistance of the disease against the remedy concerned as well as by the method, time and accuracy of application. The registration holder furthermore does not accept responsibility for damage to crops, vegetation, the environment or harm to man or animal for lack of performance of the remedy concerned due to failure of the user to follow the label instructions or the occurrence of conditions which could not have been foreseen in the terms of the registration. Consult the supplier in the event of any uncertainty.

CUSTOMER SERVICES: 0860 782 753 • WWW.KOMBAT.CO.ZA • MEMBER OF THE PLENNEGY GROUP

CONTROLS AND PROTECTS