INSECTICIDE

SWAT

Registration No. L8718 - ACT 36 OF 1947



Member of the PLENNEGY GROUP

KOMBAT SWAT is a long-lasting suspension concentrate contact and stomach insecticide for the control of nuisance and biting FLIES, cockroaches (American and German), bedbugs, fleas, mosquitoes, hide beetles and larvae, fishmoths, stableflies, ants, Alphitobius larvae and -beetle in houses, hotels, hostels, restaurants, kitchens, etc

Active Ingredient:

Alpha-cypermethrin (Pyrethroid)......60 g/l

Registration Holder: KOMBAT (Pty) Ltd Reg. No. 2009/023766/07 39 Dr Gordon Street

Greytown, 3250 Tel: +27 (0) 33 417 1906/7

Distributed by: Starke Ayres (Pty) Ltd Reg. No. 1984/011013/07 9th Road, Kempton Park, 1619 Tel: +27 (0) 11 748 3550 info@starkeayres.com

Very Toxic to aquatic life with long lasting effects. Vary Toxic to aquatic life with long lasting effects. Vary Toxic to aquatic life with long lasting effects. Vary Toxic to aquatic life with long lasting effects. Vash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment. Collect spillage. Dispose of contents/container to local and national regulations. Call a POISON CENTER/doctor if you feel unwell.

SYMPTOMS OF POISONING

Symptoms: numbness and tingling of hands and feet, lung oedema, convulsions.

FIRST AID TREATMENT

General information: When in doubt or if symptoms are observed, get medical advice. Call a POISON CENTER/doctor if you feel unwell.

Following inhalation: No special measures are necessary. Provide fresh air.

Following skin contact: Wash with soap and water.

Following eye contact: In case of eye irritation consult an ophthalmologist.

Rinse immediately carefully and thoroughly with eye-bath or water.

Following ingestion: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Seek medical attention.

NOTE TO PHYSICIAN

Treat symptomatically.

RELEVANT SUBSTANCE		CONCENTRATION (%)		
α -cypermethrin (ISO); racemate comprising (R)- α -cyano-3- phenoxybenzyl (1S,3S)-3-(2,2-dichlorovinyl)-2,2- dimethylcyclopropanecarboxyl ate; (S)- α -cyano-3-phenoxybenzyl(1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate				
CAS N°	67375- 30-8	C≤ 5,83 %		
1,2-Benzisothiazol-3(2H)-one				
CAS N°	2634-33-5	C≤ 0,05 %		
Propane-1,2-diol				
CAS N°	57-55-6	C≤ 20 %		

PLEASE READ THE LABEL BEFORE USE

DIRECTIONS FOR USE

Use only as indicated.

Do not mix Kombat SWAT with any other chemical.

Mixing instructions for spraying:

Half fill the sprayer with clean water. Measure the required volume of Korn bat SWAT and pre-mix this with some water. Add this mixture to the water in the sprayer. Fill the sprayer with water to the required level and shake the sprayer well to ensure proper mixing before spraying commences. Prepared spray mixture must not be left in the spray tank for any length of time e.g. overnight.

General directions:

Kombat SWAT is a long-lasting suspension concentrate contact and stomach insecticide for the control of flies as well as cockroaches, bedbugs, fleas, fish moths, mosquitoes and ants. The length of control depends on:

- the insect species being treated,
- the level of infestation,
- the type of surface (or bed-net fabric),
- whether the treatment is applied indoors or outdoors,
- exposure to sunlight and weather conditions and,
- depending on dosage rate, months of control can be expected indoors and several weeks outdoors under favourable conditions,

Kombat SWAT spray mixture is colourless and odourless and can be used indoors or outdoors, in and around homes, factories, hotels, shops, food handling and processing establishments, hospitals, schools, dairy parlours, piggeries, stables, dog kennels, refuse dumps and similar places where high levels of hygiene are required. All spray applications must be made with suitable equipment that is in good working order and correctly calibrated to ensure the desired coverage for that particular method of application.

CUSTOMER SERVICES: 0860 782 753 • WWW.KOMBAT.CO.ZA • MEMBER OF THE PLENNEGY GROUP

INSECTICIDE

SWAT

Registration No. L8718 - ACT 36 OF 1947



PEST	DOSAGE	DIRECTIONS FOR APPLICATION
MOSQUITO ADULTS	4.0-8.5 mℓ / 1 ℓ water	4 - 6 weeks control can be expected. The length of control is determined by the dosage rate and the type of treated surface. (See also General Directions, under DIRECTIONS FOR USE above)
		Apply as a coarse spray to surfaces where insects settle in areas where re-sprays can be done every 4 - 6 weeks. Apply to point of run-off. Use higher dose rate for longer lasting control or where infestation is severe. Repeat if necessary.
PUBLIC HEALTH: Adult house flies Adult stable flies	4.0-8.5 mℓ / 1 ℓ water	Apply as a coarse spray or with a paintbrush to cracks, crevices, and any place where these insects may hide and on surfaces over which they may crawl or settle. Apply to point of run-off. Use higher dose rate for longer lasting control or where infestation is severe. Repeat if necessary.
Also controls: Ants, Bedbugs Cockroaches (American & German), Fish moths Fleas		

DISCLAIMER

Although this remedy has been extensively tested under a large variety of conditions the registration holder does not warrant that it will be efficacious under all conditions because the action and the effect thereof may be affected by factors such as abnormal soil, climatic and storage conditions, compatibility with other substances not indicated on the label and the occurrence of resistance of the pest against the remedy concerned as well by the method, time and accuracy of application. The registration holder furthermore does not accept responsibility for damage to crops, vegetation, the environment or harm to man or animal or for the lack of performance of the reedy concerned due to failure of the user to follow the label instructions or to the occurrence of conditions which could not have been foreseen in terms of the registration. Consult the supplier in the event of any uncertainty.

CUSTOMER SERVICES: 0860 782 753 • WWW.KOMBAT.CO.ZA • MEMBER OF THE PLENNEGY GROUP