INSECTICIDE

NAIL BAIT

Registration No. L2848 - ACT 36 OF 1947



Member of the PLENNEGY GROUP

KOMBAT SNAIL BAIT is a granulated bait for the control of snails and slugs. Can be used effectively in vineyards, on lawns, flower and vegetable gardens.

Active Ingredient:

Metaldehyde 30 g/kg Carbaryl (carbamate) 20 g/kg

Registration Holder: KOMBAT (Pty) Ltd Reg. No. 2009/023766/07

39 Dr Gordon Street Greytown, 3250 Tel: +27 (0) 33 417 1906/7

info@starkeayres.com

Distributed by: Starke Ayres (Pty) Ltd Reg. No. 1984/011013/07 9th Road, Kempton Park, 1619 Tel: +27 (0) 11 748 3550



HAZARD STATEMENT

- Flammable Solid.
- Suspected of causing cancer.
- Suspected of damaging fertility.
- Very toxic to aquatic life.

PRECAUTIONARY STATEMENT

- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- Do not breathe dust/fume/gas/mist/vapours/spray.
- Wash hands thoroughly after handling.
- Do not eat, drink or smoke when using this product.
- Wear protective gloves/protective clothing/eye protection/face protection.
- Avoid release to the environment.
- Call a POISON CENTER/doctor if you feel unwell.
- In case of fire: Use Foam, Extinguishing powder, Carbon dioxide (CO2), Sand to extinguish.
- Collect spillage.
- Dispose of contents/container to local and national regulations.

SYMPTOMS OF POISONING

Symptoms may include nausea, vomiting, diarrhoea, abdominal cramps, headache, vertigo, ocular pain, ciliary muscle spasm, blurring or dimness of vision, miosis, or in some cases mydriasis, lacrimation, salivation, sweating, and confusion. In severe cases, there may also be involuntary defecation and urination, bradycardia, hypotension, pulmonary oedema, convulsions, coma, and death from respiratory failure or cardiac arrest. Carbaryl does not accumulate in mammalian tissue and the cholinesterase inhibition reverses rather rapidly. In non-fatal cases, the illness generally lasts less than 24 hours.

FIRST AID TREATMENT

General information: When in doubt or if symptoms are observed, get medical advice. Call a POISON CENTER/doctor if you feel unwell.

Following inhalation: No special measures are necessary. Provide fresh air.

Following skin contact: Wash with soap and water.

Following eye contact: In case of eye irritation consult an ophthalmologist.

Rinse immediately carefully and thoroughly with eye-bath or water.

Following ingestion: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Seek medical attention.

RELEVANT SUBSTANCE		CONCENTRATION (%)
METALDEHYDE		
CAS N°	108-62-3	C≤ 3.0 %
CARBARYL		
CAS N°	63-25-2	C≤ 2.0 %

NOTE TO PHYSICIAN

Treat symptomatically.

PLEASE READ THE LABEL BEFORE USE

DIRECTIONS FOR USE

Use only as indicated.

Snails and slugs are active at night, especially when conditions are warm and damp. Sprinkle lightly, snail bait pellets In flower beds and under other dense growing plants and shrubs. Repeat the treatment should fresh infestation appear.

Note:

Do not harvest edible crops within 7 days of application.

Store away from food and feeds.

Destroy empty container and never use for any other purpose.

Although this remedy has been extensively tested under a large variety of conditions the registration holder does not warrant that it will be efficacious under all conditions because the action and the effect thereof may be affected by factors such as abnormal soil, climatic and storage conditions, compatibility with other substances not indicated on the label and the occurrence of resistance of the pest against the remedy concerned as well by the method, time and accuracy of application. The registration holder furthermore does not accept responsibility for damage to crops, vegetation, the environment or harm to man or animal or for the lack of performance of the reedy concerned due to failure of the user to follow the label instructions or to the occurrence of conditions which could not have been foreseen in terms of the registration. Consult the supplier in the event of any uncertainty

CUSTOMER SERVICES: 0860 782 753 • WWW.KOMBAT.CO.ZA • MEMBER OF THE PLENNEGY GROUP